

Argon

Argon, in Helium							
Grade	Part No.	Concentration	Cylinder Size	Contents cu.ft.	Pressure psig @ 70° F	Equipment Recommended	CGA Valve Connection
Primary	PS-2-HEL-XX-DN	100 ppm-50%	200	200	2000	300 series brass regulator	580
Certified	CS-2-HEL-XX-DN	1-49ppm	200	200	2000	300 series brass regulator	580
			80	73	2000		
		50-999 ppm	35	32	2000		
			200	200	2000		
		0.1-50%	80	73	2000		
			35	32	2000		
			200	200	2000		
			80	73	2000		
35	32	2000					
Custom	CM-2-HEL-XX-DN	50-999 ppm	200	200	2000	300 series brass regulator	580
			80	73	2000		
			35	32	2000		
		0.1-50%	200	200	2000		
			80	73	2000		
			35	32	2000		

XX - Complete the part number with the desired cylinder size listed above.
 DN - Description number assigned by manufacturing location.

Shipping Information:	
DOT/TC Proper Name:	Compressed gas, n.o.s.
Hazard Class:	2.2
I.D. Number:	UN 1956
Labels:	Non-flammable Gas

Argon in other balance gases are available upon request.

Argon (cont.)

Argon, in Hydrogen							
Grade	Part No.	Concentration	Cylinder Size	Contents cu.ft.	Pressure psig @ 70° F	Equipment Recommended	CGA Valve Connection
Primary	PS-2-HYD-XX-DN	100 ppm-50%	200	197	2000	300 series brass regulator	350
Certified	CS-2-HYD-XX-DN	1-49ppm	200	197	2000	300 series brass regulator	350
			80	72	2000		
		50-999 ppm	35	31	2000		
			200	197	2000		
		0.1-50%	80	72	2000		
			35	31	2000		
			200	197	2000		
			80	72	2000		
Custom	CM-2-HYD-XX-DN	50-999 ppm	200	197	2000	300 series brass regulator	350
			80	72	2000		
			35	31	2000		
		0.1-50%	200	197	2000		
			80	72	2000		
			35	31	2000		

XX - Complete the part number with the desired cylinder size listed above.
 DN - Description number assigned by manufacturing location.

Shipping Information:	
DOT/TC Proper Name:	Compressed Gas, Flammable N.O.S.
Hazard Class:	2.3
I.D. Number:	UN 1954
Labels:	Flammable Gas

Argon in other balance gases are available upon request.

Argon (cont.)

Argon, in Nitrogen							
Grade	Part No.	Concentration	Cylinder Size	Contents cu.ft.	Pressure psig @ 70° F	Equipment Recommended	CGA Valve Connection
Primary	PS-2-NIT-XX-DN	100 ppm-50%	200	208	2000	300 series brass regulator	580
Certified	CS-2-NIT-XX-DN	1-49ppm	200	208	2000	300 series brass regulator	580
			80	76	2000		
		50-999 ppm	35	32	2000		
			200	108	2000		
		0.1-50%	80	76	2000		
			35	32	2000		
			200	208	2000		
			80	76	2000		
35	32	2000					
Custom	CM-2-NIT-XX-DN	50-999 ppm	200	208	2000	300 series brass regulator	580
			80	76	2000		
			35	32	2000		
		0.1-50%	200	208	2000		
			80	76	2000		
			35	32	2000		

XX - Complete the part number with the desired cylinder size listed above.

DN - Description number assigned by manufacturing location.

Shipping Information:	
DOT/TC Proper Name:	Compressed gas, n.o.s.
Hazard Class:	2.2
I.D. Number:	UN 1956
Labels:	Non-flammable Gas

Argon in other balance gases are available upon request.

Argon (cont.)

Argon, in Oxygen							
Grade	Part No.	Concentration	Cylinder Size	Contents cu.ft.	Pressure psig @ 70° F	Equipment Recommended	CGA Valve Connection
Primary	PS-2-OXY-XX-DN	100 ppm-50%	200	226	2000	300 series brass regulator	296
Certified	CS-2-OXY-XX-DN	1-49ppm	200	226	2000	300 series brass regulator	296
			80	83	2000		
		50-999 ppm	35	35	2000		
			200	226	2000		
		0.1-50%	80	83	2000		
			35	35	2000		
			200	226	2000		
			80	83	2000		
35	35	2000					
Custom	CM-2-OXY-XX-DN	50-999 ppm	200	226	2000	300 series brass regulator	296
			80	83	2000		
		0.1-50%	35	35	2000		
			200	226	2000		
			80	83	2000		
			35	35	2000		

XX - Complete the part number with the desired cylinder size listed above.

DN - Description number assigned by manufacturing location.

Shipping Information:	
DOT/TC Proper Name:	Compressed Gas Oxidizing N.O.S.
Hazard Class:	2.2
I.D. Number:	UN 3156
Labels:	Non-flammable Gas and Oxidizer

Argon in other balance gases are available upon request.