

Isobutane

Isobutane in Air							
Grade	Part No.	Concentration	Cylinder Size	Contents cu.ft.	Pressure psig @ 70° F	Equipment Recommended	CGA Valve Connection
Primary	PS-2-AIR-XX-DN	10-49 ppm	200	214	2000	300 series brass regulator	590
		50ppm -0.9%	200	214	2000		
Certified	CS-2-AIR-XX-DN	100-999 ppb	150AL	144	2000	300 series brass regulator	590
			35AL	29	2000		
		1-49 ppm	200	214	2000		
			35	33	2000		
		50-999 ppm	200	214	2000		
			35	33	2000		
		0.1-0.9%	200	214	2000		
			35	33	2000		
Custom	CM-2-AIR-XX-DN	50-999 ppm	200	214	2000	300 series brass regulator	590
			35	33	2000		
		0.1-0.9%	200	214	2000		
			35	33	2000		

XX - Complete the part number with the desired cylinder size listed above.
 DN - Description number assigned by manufacturing location.

Shipping Information:	
DOT/TC Proper Name:	Compressed Gas, N.O.S.
Hazard Class:	2.2
I.D. Number:	UN 1956
Labels:	Non-flammable Gas

Isobutane in other balance gases are available upon request.

Isobutane (cont.)

Isobutane in Nitrogen							
Grade	Part No.	Concentration	Cylinder Size	Contents cu.ft.	Pressure psig @ 70° F	Equipment Recommended	CGA Valve Connection
Primary	PS-2-NIT-XX-DN	10-49 ppm	200	208	2000	300 series brass regulator	350
		50ppm -1.0%	200	208	2000		
Certified	CS-2-NIT-XX-DN	100-999 ppb	150AL	140	2000	300 series brass regulator	350
			35AL	28	2000		
		1-49 ppm	200	208	2000		
			35	32	2000		
		50-999 ppm	200	208	2000		
			35	32	2000		
		0.1-1.0%	200	208	2000		
			35	32	2000		
Custom	CM-2-NIT-XX-DN	50-999 ppm	200	208	2000	300 series brass regulator	350
			35	32	2000		
		0.1-1.0%	200	208	2000		
			35	32	2000		

XX - Complete the part number with the desired cylinder size listed above.

DN - Description number assigned by manufacturing location.

Shipping Information:	
DOT/TC Proper Name:	Compressed Gas, N.O.S.
Hazard Class:	2.2
I.D. Number:	UN 1956
Labels:	Non-flammable Gas

Isobutane in other balance gases are available upon request.