

## n-Butane

n-Butane in Air								
Grade	Part No.	Concentration	Cylinder Size	Contents cu.ft.	Pressure psig @ 70° F	Equipment Recommended	CGA Valve Connection	
Primary	PS-2-AIR-XX-DN	50ppm-0.9%	200	214	2000	300 series brass regulator	590	
Certified	CS-2-AIR-XX-DN	100-999 ppb	150AL	144	2000	300 series brass regulator	590	
			35AL	29	2000			
			200	214	2000			
		1-49 ppm	80	78	2000			
			35	33	2000			
			50-999 ppm	200	214			2000
				80	78			2000
		0.1-0.9%	35	33	2000			
			200	214	2000			
			80	78	2000			
Custom	CM-2-AIR-XX-DN	50-999 ppm	200	214	2000	300 series brass regulator	590	
			80	78	2000			
			35	33	2000			
		0.1-0.9%	200	214	2000			
			80	78	2000			
			35	33	2000			

XX - Complete the part number with the desired cylinder size listed above.  
 DN - Description number assigned by manufacturing location.

Shipping Information:	
DOT/TC Proper Name:	Compressed Gas, N.O.S.
Hazard Class:	2.2
I.D. Number:	UN 1956
Labels:	Non-flammable Gas

n-Butane in other balance gases are available upon request.

## n-Butane (cont.)

n-Butane in Helium							
Grade	Part No.	Concentration	Cylinder Size	Contents cu.ft.	Pressure psig @ 70° F	Equipment Recommended	CGA Valve Connection
Primary	PS-2-HEL-XX-DN	50ppm-0.9%	200	200	2000	300 series brass regulator	350
Certified	CS-2-HEL-XX-DN	100-999 ppb	150AL	135	2000	300 series brass regulator	350
			35AL	27	2000		
			200	200	2000		
		1-49 ppm	200	200	2000		
			80	73	2000		
			35	32	2000		
		50-999 ppm	200	200	2000		
			80	73	2000		
			35	32	2000		
		0.1-0.9%	200	200	2000		
			80	73	2000		
			35	32	2000		
Custom	CM-2-HEL-XX-DN	50-999 ppm	200	200	2000	300 series brass regulator	350
			80	73	2000		
			35	32	2000		
		0.1-0.9%	200	200	2000		
			80	73	2000		
			35	32	2000		

XX - Complete the part number with the desired cylinder size listed above.  
 DN - Description number assigned by manufacturing location.

Shipping Information:	
DOT/TC Proper Name:	Compressed Gas, N.O.S.
Hazard Class:	2.2
I.D. Number:	UN 1956
Labels:	Non-flammable Gas

n-Butane in other balance gases are available upon request.

## n-Butane (cont.)

n-Butane in Nitrogen							
Grade	Part No.	Concentration	Cylinder Size	Contents cu.ft.	Pressure psig @ 70° F	Equipment Recommended	CGA Valve Connection
Primary	PS-2-NIT-XX-DN	50ppm-0.9%	200	208	2000	300 series brass regulator	350
Certified	CS-2-NIT-XX-DN	100-999 ppb	150AL	140	2000	300 series brass regulator	350
			35AL	28	2000		
			200	208	2000		
		1-49 ppm	80	76	2000		
			35	32	2000		
			200	208	2000		
		50-999 ppm	80	76	2000		
			35	32	2000		
			200	208	2000		
		0.1-0.9%	80	76	2000		
			35	32	2000		
			200	208	2000		
Custom	CM-2-NIT-XX-DN	50-999 ppm	200	208	2000	300 series brass regulator	350
			80	76	2000		
			35	32	2000		
		0.1-0.9%	200	208	2000		
			80	76	2000		
			35	32	2000		

XX - Complete the part number with the desired cylinder size listed above.  
 DN - Description number assigned by manufacturing location.

Shipping Information:	
DOT/TC Proper Name:	Compressed Gas, N.O.S.
Hazard Class:	2.2
I.D. Number:	UN 1956
Labels:	Non-flammable Gas

n-Butane in other balance gases are available upon request.